



TP-Link TL-SG108PE Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Zwart

Merk : TP-Link

Artikelcode: TL-SG108PE V2

Productnaam : TL-SG108PE

TP-Link TL-SG108PE. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. MAC-adrestabel: 4000 entries, Switchingcapaciteit: 16 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE)



Beheerfuncties		Energie	
Switch type *	Managed	Stroombron *	DC
Switch-laag	L2	Vermogenstoevoer inclusief *	✓
Quality of Service (QoS)	✓	Stroom	1.25 A
Web-gebaseerd management	✓	Ingangsspanning	48 V
Poorten & interfaces		Vermogensverbruik (max)	65,2 W
Aantal basis-switching RJ-45 Ethernet-poorten *	8	Power over Ethernet (PoE)	
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Power over Ethernet (PoE) *	✓
Aantal Gigabit Ethernet (koper)-poorten	8	Hoeveelheid Power over Ethernet (PoE) ports	4
Netwerk		Vermogen per poort Power over Ethernet (PoE)	15,4 W
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Totaal Power over Ethernet (PoE)-budget	64 W
10G support *	✗	Eisen aan de omgeving	
Ondersteundende kabel types	Cat3, Cat4, Cat5, Cat5e, Cat6	Bedrijfstemperatuur (T-T)	0 - 40 °C
Port mirroring	✓	Temperatuur bij opslag	-40 - 70 °C
Verbindingsaggregatie	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Broadcast stormbeheer	✓	Luchtvochtigheid bij opslag	5 - 95 procent
Auto MDI/MDI-X	✓	Warmtedissipatie	256,19 BTU/h
Auto-negotiation	✓	Gewicht en omvang	
VLAN=ondersteuning	✓	Breedte	158 mm
Virtuele LAN-functies	Port-based VLAN	Diepte	101 mm
Aantal VLANs	32	Hoogte	25 mm
Data-uitwisseling		Inhoud van de verpakking	
Switchingcapaciteit *	16 Gbit/s	Meegeleverde kabels	AC
Verzending snelheid	11,9 Mpps	Gebruiksaanwijzing	✓
MAC-adrestabel *	4000 entries	Verpakking	
Store-and-forward	✓	Type verpakking	Doos
Jumbo Frames ondersteuning	✓	Breedte verpakking	131 mm
Jumbo frames	15000	Diepte verpakking	196 mm
		Hoogte verpakking	121 mm

Data-uitwisseling		Verpakking	
Packet buffergeheugen	1,5 MB	Gewicht verpakking	890 g
Beveiliging		Certificaten	
IGMP snooping	✓	Certificering	FCC, CE, RoHS
Bescherming lus	✓	Logistieke gegevens	
Design		Code geharmoniseerd systeem (HS) 85176990	
Kleur van het product	Zwart		
LED-indicatoren	Activiteit, Link, Power over Ethernet (PoE), Stroom, Snelheid, Status		



6935364094744



0845973094744



845973094744



6935364094751

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.